

Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims regarding the present application. In reading this, text added by the amendment is underlined and text that is deleted is shown in ~~[[double brackets]]~~.

Listing of Claims

1. (Currently Amended) An apparatus for resisting the growth and spread of contaminants on a cosmetic brush, the apparatus comprising:
 - a. a cosmetic brush including ~~[[a]]~~ an elongated handle portion and bristles, wherein the handle portion is fashioned from a contaminant resistant material selected from the group consisting of stainless steel and plastic;
 - b. a crimp integrally formed from contaminant resistant material, wherein the crimp holds the bristles to the handle portion, and wherein the bristles extend longitudinally from the crimp parallel to the length of the handle portion;
 - c. at least one endcap including an aperture, wherein the aperture is fashioned to receive the handle portion of the cosmetic brush; and
 - d. an enclosure including at least one opening,
wherein the at least one endcap is fashioned to close the at least one opening, and further wherein when the handle portion of the cosmetic brush is inserted into the aperture and the at least one endcap is inserted into the at least one opening, the cosmetic brush ~~[[in]]~~ is entirely within the enclosure and the cosmetic brush is configured such that the cosmetic brush is not in contact with an inner surface of the enclosure.
2. (Cancelled)
3. (Previously Presented) The apparatus as claimed in claim 1 wherein in the event the handle is formed of stainless steel, the handle portion of the brush includes an upper handle

portion and a lower handle portion, wherein the lower handle portion is inserted into the aperture.

4. (Original) The apparatus as claimed in claim 3 further comprising a set of bristles coupled to the upper handle portion of the brush with a crimp.
5. (Cancelled)
6. (Original) The apparatus as claimed in claim 1 wherein the enclosure has a cylindrical shape, wherein the at least one opening is positioned at the end of the cylinder.
7. (Original) The apparatus as claimed in claim 1 wherein the enclosure is fashioned from a contaminant resistant material.
8. (Original) The apparatus as claimed in claim 1 wherein the enclosure is fashioned from a transparent material.
9. (Original) The apparatus as claimed in claim 1 wherein the at least one opening and the at least one endcap have a round shape, further wherein the at least one endcap includes:
 - a. a plug configured to be inserted into the at least one opening, wherein the plug is configured to substantially maintain sufficient contact with the inner surface of the enclosure; and
 - b. filler material configured in the plug such that the aperture can be fashioned into the filler material.
- 10 - 18 (Cancelled)

19. (Currently Amended) A cosmetic brush for resisting the growth and spread of contaminants, the cosmetic brush comprising:
- a. a handle portion, wherein the handle portion is fashioned from a contaminant resistant material selected from the group consisting of stainless steel and plastic; [[and]]
 - b. a set of bristles coupled to the handle portion of the cosmetic brush;
 - c. at least one endcap including an aperture, wherein the aperture is fashioned to receive the handle portion of the cosmetic brush and wherein the at least one endcap has at least one outwardly extending protrusion positioned around the circumference of the endcap; and
 - d. an enclosure including at least one opening, wherein the at least one endcap is fashioned to close the at least one opening, and further wherein when the handle portion of the cosmetic brush is inserted into the aperture and the at least one endcap is inserted into the at least one opening, the at least one outwardly extending protrusion makes contact with the inside of the enclosure to ensure that when the cosmetic brush is entirely within the enclosure and is not in contact with an inner surface of the enclosure.
20. (Cancelled)
21. (Cancelled)
22. (Currently Amended) The cosmetic brush as claimed in claim [[20]] 19 wherein in the event the handle is formed of stainless steel, the handle portion of the cosmetic brush includes an upper handle portion and a lower handle portion, wherein the lower handle portion is inserted into the aperture and the set of bristles are coupled to the upper handle portion of the cosmetic brush with a crimp.
23. (Cancelled)

24. (Currently Amended) The cosmetic brush as claimed in claim ~~[[20]]~~ 19 wherein the enclosure has a cylindrical shape, wherein the at least one opening is positioned at the end of the cylinder.

25. (Currently Amended) The cosmetic brush as claimed in claim ~~[[20]]~~ 19 wherein the enclosure is fashioned from a contaminant resistant material.

26. (Currently Amended) The cosmetic brush as claimed in claim ~~[[20]]~~ 19 wherein the enclosure is fashioned from a transparent material.

27. (Currently Amended) The cosmetic brush as claimed in claim ~~[[20]]~~ 19 wherein the at least one opening and the endcap have a round shape, further wherein the endcap includes:

a. a plug configured to be inserted into the at least one opening, wherein the plug is configured to substantially maintain sufficient contact with the inner surface of the enclosure to remain in place until removed; and

b. filler material configured in the plug such that the aperture can be fashioned in the filler material.

28 - 45 (Cancelled)

46. (Currently Amended) An apparatus for resisting the growth and spread of contaminants, the apparatus comprising:

a. a cosmetic brush including a handle portion, wherein the handle portion is fashioned from a stainless steel material and the handle portion of the brush includes an upper handle portion and a lower handle portion;

b. a set of bristles coupled to the upper handle portion of the cosmetic brush ~~[[with a crimp]]~~;

c. at least one endcap including an aperture, wherein the aperture is fashioned to

receive the lower handle portion of the brush; and

d. an enclosure including at least one opening,

wherein the at least one endcap is fashioned to close the at least one opening, and

[[further]], wherein the at least one opening and the at least one endcap have a round shape,
further wherein the at least one endcap includes:

i. a plug with at least one wall configured to be inserted into the at least one opening, wherein the at least one wall of the plug is configured with at least one slot, and wherein the at least one wall flexes when inserted into the at least one opening causing the slot to become smaller; and

ii. filler material positioned inside the at least one wall such that the aperture can be formed into the filler material;

wherein when the lower handle portion of the cosmetic brush is inserted into the aperture and the at least one endcap is inserted into the at least one opening the cosmetic brush does not make contact with an inner surface of the enclosure and the at least one wall compresses the filler material [[, the brush is entirely within the enclosure and configured such that the brush is not in contact with the inner surface of the enclosure]].

47. (Currently Amended) The apparatus as claimed in claim 46 wherein the enclosure has a cylindrical shape, wherein the at least one opening is positioned at [[the]] an end of the cylinder.

48. (Original) The apparatus as claimed in claim 46 wherein the enclosure is fashioned from a contaminant resistant material.

49. (Original) The apparatus as claimed in claim 46 wherein the enclosure is fashioned from a transparent material.

50. (Cancelled)